





Autoclave/Steam steriliser BeliMed 11-9-26 HS2


Images





INTIMAC S.R.L.

Via XXV Aprile, 8
21054 Fagnano Olona (VA) - Italia
Tel. +39 0331 1693557
email: inti@intisrl.it



Product details

Category:	Autoclaves/Sterilizing Ovens/Freeze Dryers
Machine:	11-9-26 HS2
Machine code:	25-1566

**Manufacturer:** Belimed**Year of construction:** 2009

Description

The Belimed PST-TOP9000 series steam steriliser has been developed for the sterilisation of porous and non-porous, heat- and steam-resistant solid and liquid goods for laboratory applications in accordance with DIN 58950. Depending on the selected programme, different materials such as metal, textiles, glass, waste in ventilated containers or in suitable paper or textile packaging, as well as liquids in open or closed containers, can be sterilised in this device.

Technical data

Steriliser:

Steam steriliser: PST series

Manufacturer: Belimed Sauter – CH

Year of manufacture: 2009

Model: 11-9-26 HS2

Chamber volume of the sterilisation pressure vessel 3810 l

Min/mx permissible pressure -1/3.5 bar

Min/max permissible temperature 20/141 °C

Vacuum pump Speck V55

Operating voltage 3N-400V

Frequency 50Hz

Nominal current 32A

Power 14kW

IP protection class IP53

Chamber light mass (height x width x depth) 1230mmx100mmx2650mm

Operating weight approx. 6840 kg

Vacuum pump (VP)

Vacuum pump type Spek V255

Motor 5.5 kW

Operating voltage 3N-400V

frequency 50 HZ

nominal current 12.5 A