





Aseptic Filling and Closing Machines Cioni A6FC

Images





Product details

Category:	Aseptic Filling and Closing Machines
Machine:	A6FC
Machine code:	IT364
Manufacturer:	Cioni
Year of construction:	n/a

Description



INTIMAC S.R.L.

Via XXV Aprile, 8
21054 Fagnano Olona (VA) - Italia
Tel. +39 0331 1693557
email: inti@intisrl.it

Closed and open ampoules filler Cioni A6FC

Manufacturer Cioni

Modello A6FC

Automatic filling machine for closed and / or open ampoules with automatic loading and unloading. The machine automatically loads the ampoules 6 by 6, turns them upside down, opens them, turns them over and fills them with 6 syringes and seals them, unloading them on a tray.

All these operations are carried out with a single operator. The machine also works for open blisters.

Formats included for 1-2 ml

The equipment comes with its laminar flow

Technical data:

Hourly production: 12,000 units.

Maximum diameter of the vial: 19 +/- 19.5 mm

Dosage: 1 +/- 10 ml.

Feed to load: width max. 310 +/- 315mm - width min. 160mm - length max. 500mm

Discharge: width max. 365mm - width min. of the individual basket 160mm - length max. 500mm

Machine measurements: width 2300 x length 1940 x height 1600 mm

Net Weight: 460KG

Gross Weight: 780KG

Installed potency:

220-380V 50Hz Absorption A. 220V A. 6.5 - A. 380V A. 4.2

Pressures:

G.P.L. min. Kg / cmq. 0.6 - max. Kg / cmq. 2 +/- 3

Oxygen min. kg / cmq. 1 - max. kg / cmq. 3

Nitrogen min. kg / cmq. 0.4 - max. kg / cmq. 1.2 +/- 1.3