









Cartoning Machines/Case packers Cam SM80

Images







TECHNICAL DATA

Mechanical speed	STROKES/1'	max. 16
Power absorption	KW	4 (Hot-melt + 7.5)
Air consumption	MPA	max. 1200
Air pressure	bar	5-6
Gross weight	kg	~2100
Net weight	kg	~1700
Size range	min.	max.
A	20	655
B	12	73
C	50	340
d ₁	185	690
e ₁	115	385
f ₁	92	342
d ₁ x d ₂	-	600

MACHINE WORKING FLOW





Product details

Category:	Sold
Machine:	SM80
Machine code:	22MF159
Manufacturer:	Cam
Year of construction:	2015

Description

SM80 High speed horizontal case-packer for shipping cases from 2015

DESCRIPTION

The modular casepacker SM80 is one of the most reliable end-of-line machines. The machine has been developed to accommodate complicated applications, for ease of access, and to improve CAM standards of strength and reliability.

Consisting of three separated modules: product feeding and collation, carton erection and carton closure, this machine guarantees a total control and easy cleaning. The collation and the volume of cartons have been made in a positive manner and operated through the mechanical movement of two arms with suction grippers. The manufactured products are accumulated, put in layers and inserted into the erected carton.

The system of carton erection and product introduction into the carton allows for higher speed of packaging and guarantees higher stability of the products. The closing of the cartons can be done by glue tape, damp kraft paper or by the application of hot melt or cold glue.

The "SM80" casepacker can be equipped with an automatic carton loader.

Machine layout: 3195 mm x min 2510 / max 27100 mm